

	<h2 style="text-align: center;">Nursing Home Inspection</h2> <p>Health (Nursing Homes) Act, 1990 and the Nursing Homes (Care and Welfare) Regulations, 1993.</p>	
Nursing Home	Sacre Coeur Nursing Home	Inspection Report
Number of Residents	22	
Registered for	26	
Nursing Home Address	Station Road, Tipperary Town, Co. Tipperary	
Proprietor	Ms. Claire Ryan	
Proprietor's Address (if different from above)		
Person-in-Charge of Nursing Home	Ms. Lelia Considine	
Date and Time of Inspection(s)	08/01/2009 at 10.30a.m.	Findings
Date report issued	20 th January 2009.	
Summary of previous report findings	Following the previous inspection from 15/07/2008, the nursing home has addressed all non-compliance issues outlined in the report.	
	<h2 style="text-align: center;">Current Inspection Summary</h2>	
Compliance status	<p>Findings of latest (unannounced) inspection which took place on 08/01/2009 at 10.30a.m.</p> <p>The inspectors findings based on the current nursing home inspectorate regulations are as follows:</p>	

	<h2 style="text-align: center;">Nursing Home Inspection</h2>	
<p>Summary Findings of Current Nursing Home Inspection</p>	<p>Health (Nursing Homes) Act, 1990 and the Nursing Homes (Care and Welfare) Regulations, 1993.</p> <ul style="list-style-type: none"> <p>• Under Care & Staffing the nursing home was compliant with 21 out of 21 regulations. On the basis of this inspection and under current nursing home regulations, the inspection team would consider that the nursing home provides a good standard of Care and Staffing for residents.</p> <p>• Under Management the nursing home was compliant with 27 out of 27 regulations. On the basis of this inspection and under current nursing home regulations, the inspection team would consider the nursing home to have a good standard of management.</p> <p>• Under Physical Environment the nursing home was compliant with 11 out of 11 regulations. On the basis of this inspection and under current nursing home regulations, the inspection team would consider the nursing home provides a good Physical Environment for residents.</p> 	<p>Compliance/Non Compliance</p>
	<p>All regulations, their reference numbers and the details of those regulations can be viewed in Nursing Homes (Care and Welfare) Regulations, 1993.</p>	
	<h2 style="text-align: center;">Comments and Recommendations</h2>	
<p>Comments and recommendations made by the inspection team as a result of the inspection</p>	<ul style="list-style-type: none"> • The water at the wash hand basin in the staff and kitchen toilet was not adequately heated and must be checked by a plumber. • Oxygen cylinders awaiting collection should be removed from the corridor and stored in secure location. • The T.V. in Room 11 must be wall mounted. • A bell unit to be available at all beds whether vacant or occupied (i.e. Room 11). • The call bells when pressed should remain ringing until attention arrives. • All rooms to have paper towel dispensers fitted if not already provided. 	<p>Recommendations</p>
<p>This report has been completed/issued by</p>	<p>Seamus Moore Local Health Manager</p>	<p>Author</p>